CZ BREN 2

SERIES














CZ BREN 2 SERIES Main **features** of the CZ BREN 2 SERIES


LIGHTWEIGHT CARRY

The advanced design, superb build quality and leading reliability of our flagship CZ BREN 2 rifle series makes it the firearm of choice for leading military professionals across the globe.

Its high quality, aluminum alloy upper receiver and highly durable polymer trigger housing ensure lightweight carry and extreme resistance to adverse weather conditions. The ergonomic design, adjustable non-reciprocating charging handle, folding/adjustable stock and ambidextrous controls allow for the CZ BREN 2 to be completely customized for each user. Its multi-caliber system allows for the easy transition between the powerful $5,56 \times 45$ NATO and $7,62 \times 39$ calibers, and back again.

MULTICALIBER SYSTEM













CZ **BREN 2** 8"

5,56 × 45 NATO | 30



MODEL	CALIBER	NUMBER OF GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	SIGHTS	WEIGHT WITHOUT MAGAZINE (kg)	STOCK FOLDED / UNFOLDED- -FULLY EXTENDED (mm)	IRON SIGHTS, NO MAGAZINE (mm)	STOCK UNFOLDED / FOLDED (mm)	PULL WEIGHT (N)	UPPER RECEIVER
CZ BREN 2 - 8"	5,56 × 45 NATO	1:7/6	30	8/207 ± 1	M14 × 1 LH	Iron, Folding, Adjustable	2,89 ± 0,05	505 / 684-733 ± 10	202 ± 5	80 / 104 ± 5	25 ± 5	7075 T6 aluminum alloy
CZ BREN 2 - 8" TELESCOPIC STOCK	5,56 × 45 NATO	1:7/6	30	8 / 207 ± 1	M14 × 1 LH	Iron, Folding, Adjustable	3,08 ± 0,05	560-740 ± 10	202 ± 5	80 ± 5	25 ± 5	7075 T6 aluminum alloy
CZ BREN 2 - 11"	5,56 × 45 NATO	1:7/6	30	11 / 280 ± 1	M14 × 1 LH	Iron, Folding, Adjustable	2,99 ± 0,05	577 / 762-807 ± 10	202 ± 5	80 / 104 ± 5	25 ± 5	7075 T6 aluminum alloy
CZ BREN 2 - 14"	5,56 × 45 NATO	1:7/6	30	14 / 357 ± 1	M14 × 1 LH	Iron, Folding, Adjustable	3,10 ± 0,05	657 / 840-884 ± 10	202 ± 5	80 / 104 ± 5	25 ± 5	7075 T6 aluminum alloy

577 / 762-807 ± 10

657 / 840-884 ± 10

2,90 ± 0,05

3,01 ± 0,05

202 ± 5

202 ± 5

80 / 104 ± 5

80 / 104 ± 5

25 ± 5

25 ± 5

7075 T6 aluminum alloy

7075 T6 aluminum alloy

7,62 × 39

7,62 × 39

1:9,45/4

1:9,45/4

11 / 280 ± 1

14 / 357 ± 1

M14 × 1 LH

M14 × 1 LH

Iron, Folding, Adjustable

Iron, Folding, Adjustable

CZ BREN 2 - 11"

CZ BREN 2 - 14"

cz **BREN 2** BR

7,62 × 51 NATO | 25

The CZ BREN 2 BR is a cutting-edge automatic firearm that combines the best qualities of the successful CZ BREN 2 model series with the higher performance and increased power of the 7,62 × 51 NATO cartridge.

The result is a new generation light select fire rifle, which is characterized by exceptional reliability, high accuracy, outstanding ergonomics and ease of control. Compared to smaller caliber rifles, the CZ BREN 2 BR with 16" barrel and 7,62 × 51 NATO chambering boasts a considerably longer effective range with greater downrange energy.

16"

CALIBER

CARRY

TWIST RATE / NUMBER WEIGHT WITHOUT MAGAZINE BARREI OF GROOVES LENGTH ("/mm) CZ BREN 2 BR - 16" 7,62 × 51 NATO 1:11/4 Iron, Folding, Adjustable 3,78 ± 0,05

000

UPPER RECEIVER

1 The technical specifications only and may vary according to the specific configuration. The manufacturer reserves the right to make changes or modifications at its sole discretion.

cz **BREN 2** DMR

7,62 × 51 NATO | 10

A highly accurate, semi-automatic rifle chambered in the powerful 7,62 × 51 mm NATO caliber, designed for precise target strikes at up to 600 m and shooting with an effective range of up to 800 m.

This model has a guaranteed accuracy of 2 MOA at 600 m (with selected ammunition for the entire life of the barrel – up to 10,000 shots) and is constructed for superior reliability, even in the most extreme weather and operational conditions.





IN ALL TYPES OF ADVERSE WEATHER

MODEL
CALIBER

TWIST RATE / NUMBER OF GROOVES
CAPACITY
BARREL LENGTH ("/mm) THREAD
SIGHTS
WEIGHT WITHOUT MAGAZINE (kg)

THREAD

THREAD
SIGHTS

WEIGHT WITHOUT MAGAZINE (kg)

1:11/4
10
18/475 ± 1
5/8 × 24 UNEF
Iron, Folding, Adjustable
4,45 ± 0,05

OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED--FULLY EXTENDED (mm) EIGHT WITH FOLDED RON SIGHTS, O MAGAZINE (mm) WIDTH WITH STOCK UNFOLDED FOLDED (mm)

PULL WEIGHT (N) U

UPPER RECEIVER

The technical specifications provided are for orientation purpose only and may vary according to the specific configuration. The manufacturer reserves the right to make changes or modifications at its sole discretion.